

Construction Industry Authority of the Philippines REQUEST FOR QUOTATION/PROPOSAL

CIAP-F-PrM-03 Rev. No.: 00

Purchase of All-in-One Tank Printer

P.R. No./Date: **24-11125 | 25 November 2024** RFQ/P No. / Date: **2024-11-120 | 26 November 2024**

The Construction Industry Authority of the Philippines (CIAP) invites all eligible suppliers, contractors and consultants to quote the best offer for the described item/s in the attached *Terms of Reference/Technical Specifications* subject to the Terms and Conditions and within the Approved Budget for the Contract (ABC).

The following are the required document/s to be submitted as attachment/s to the quotation/proposal:

(Please submit the documents required to be submitted by the bidder pursuant to Annex "H"-Appendix A of Revised of The 2016 Revised IRR)

- 1 Mayor's/Business Permit
- 2 PhilGEPS Registration Number
- 3 BIR Certficate of Registration (BIR Form No. 2303)

This pro-forma quotation maybe submitted through registered or electronic mail to the CIAP Bids and Awards Committee Secretariat at address indicated below or email to bac_ciap@construction.gov.ph/russellracelis@construction.gov.ph on or before 04 December 2024, 05:00 PM, together with any additional requirements indicated in the attached Terms of Reference / Technical Specifications, and subject to the following Terms and Conditions:

- 1. All entries shall be typed or written in a clear legible manner.
- 2. No alternate quotation/offer is allowed, suppliers who submitted more than one quotation shall be automatically disqualified.
- 3. All prices offered herein are valid, binding and effective for sixty (60) calendar days upon receipt of the bid. Alternative bids shall be rejected.
- 4. Price quotations to be denominated in Philippine Peso shall include all applicable government taxes subject to (BIR 2306) 5% R-VAT and (BIR 2307) 1% (PO) or 2% (JO) deductions.
- 5. CIAP-BAC Technical Working Group may require you to submit documents that will prove your legal, financial and technical capability to undertake this contract.
- 6. Salient provisions of the IRR of RA 9184: Section 68 Liquidated Damages and Section 69 Imposition of Administrative Penalties shall be observed.
- 7. CIAP reserves the right to reject any and all quotations, declare a failure, or not award the contract pursuant to Sec 41 of the same IRR.
- 8. In case of tie quotations, suppliers' presence is required during tie breaking through draw lots or toss coin.
- 9. In case supplier pro forma quotation is submitted, conditions will be governed by the submitted signed *Terms of Reference/Technical Specifications*.
- 10. Payment shall be made through check payment (Landbank).
- 11. For bidders with Landbank of the Philippines Bank Account Number, please write Account Number: ________.

Very truly yours, (ORIGINAL Copy Signed)

Russell N. Racelis

Secretariat, Bids and Awards Committee

CONSTRUCTION INDUSTRY AUTHORITY OF THE PHILIPPINES

4th Floor Room 410, Executive Building Center, 369 Sen. Gil Puyat Ave., cor. Makati Ave., Makati City

Telephone: (+632)8986-4507 / 0917-855-7198 | e-mail: bac_ciap@construction.gov.ph

OTY		ARC	Technical Specifications	Brand/Model	Unit Price	Total Amount
QII		ADC	reclifical opecifications	(To be filled-out by the supplier)		
10 units	₽	480,000.00	All-in-One Ink Tank Printer (See attached Technical Specifications)			
Total ABC		480,000.00				
Delivery and Other Instructions:			(blank)			
)	tal ABC	10 units P	10 units P 480,000.00	10 units P 480,000.00 All-in-One Ink Tank Printer (See attached Technical Specifications) stal ABC P 480,000.00	10 units P 480,000.00 All-in-One Ink Tank Printer (See attached Technical Specifications) tal ABC P 480,000.00	10 units P 480,000.00 All-in-One Ink Tank Printer (See attached Technical Specifications) tal ABC P 480,000.00

(Please provide complete information below)

We undertake, if our Proposal is accepted, to supply/deliver the goods in accordance with the specifications and/or delivery schedule.

We agree to abide by this proposal for the price validity period specified in the terms and conditions and it shall remain binding upon us and may be accepted at any time before the expiration of that period.

Until a Purchase/Job Order or a Contract is prepared and executed, this Quotation/Proposal shall be binding upon us. We understand that CIAP is not bound to accept the lowest or any proposal that CIAP may receive.

Signature over Printed Name :	
Designation/Position :	
Name of Company :	
Address :	
Telephone / Fax :	
E-mail Address:	
Company Tax Identification Number :	





TECHNICAL SPECIFICATIONS

PROCUREMENT OF ALL-IN-ONE INK TANK PRINTER					
Qty.	Unit	Description / Specifications	Est. Cost	Amount	
10	Unit	ALL-IN-ONE INK TANK PRINTER	₱48,000.00	₱480,000.00	
		Specifications:		(VAT Inc.)	
		Printer Type: Print, Scan, Copy, Fax with ADF			
		Printing Technology: Print Method: PrecisionCoreTM Printhead Minimum Ink Droplet Volume:3.8 pl Print Direction: Bi-directional printing Nozzle Configuration: 800 x 1 nozzles Black, 256 x 1 nozzles per colour (Cyan, Magenta, Yellow) Maximum Resolution: 4800 x 2400 dpi Automatic 2-sided Printing: Yes (up to A3)			
		Print Speed: Photo Default - 10 x 15 cm / 4 x 6 " *1:Approx. 43 sec per photo (Border) / 52 sec per photo (Borderless) Draft, A4 (Black / Colour): Up to 32.0 ppm / 22.0 ppm ISO 24734, A4 Simplex (Black / Colour): Up to 25.0 ipm / 12.0 ipm ISO 24734, A4 Duplex (Black / Colour): Up to 16.0 ipm / 9.0 ipm ISO 24734, A3 Simplex (Black / Colour): Up to 13.5 ipm / 6.0 ipm ISO 24734, A3 Duplex (Black / Colour): Up to 10.0 ipm / 5.0 ipm			
		Copy Function: Reduction / Enlargement: 25 - 400% Maximum Copy Size: A3 Copy Resolution: 600 x 600 dpi Max Copies:999 copies			
		Copy Speed: ISO 29183, A4 Simplex Flatbed (Black / Colour): Up to 23.0 ipm / 10.0 ipm ISO 24735, A4 Simplex ADF (Black / Colour): Up to 22.5 ipm / 10.0 ipm ISO 24735, A4 Duplex ADF (Black / Colour): Up to 15.5 ipm / 7.5 ipm			
		Scan Function: Scanner Type: Flatbed colour image scanner Sensor Type: CIS Optical Resolution:1200 x 2400 dpi Maximum Scan Area:297 x 431.8 (mm) Scanner Bit Depth (Colour):48-bit input, 24-bit output Scanner Bit Depth (Grayscale):16-bit input, 8-bit output Scanner Bit Depth (Black & White):16-bit input, 1-bit output			

Scan Speed:

Scan Speed (Flatbed / ADF (Simplex |

Duplex)):200dpi, Black: 5 sec / Up to 26.0 ipm | 11.5

ipm

200dpi, Colour: 10 sec / Up to 9.0 ipm | 6.0 ipm

ADF Specifications:

Support Paper Thickness:64 - 95 g/m²

Paper Capacity: 50 sheets

Fax Function:

Type of Fax: Walk-up Black-and-white and Colour Fax

Capability Receive

Memory / Page Memory: 6MB, Page memory

Up to 550 pages

Error Correction Mode: ITU-T T.30

Fax Speed (Data Transfer Rate): Up to 33.6 kbps,

Approx. 3 sec/page

Fax Resolution: Up to 200 x 200 dpi

Transmission Paper Size (Flatbed): A5, A4, A3, B5,

B4, Half Letter, Letter, Legal, 11 x 17"

Transmission Paper Size (ADF): A5, A4, A3, B5, B4,

Half Letter, Letter, Legal, 11 x 17"

Receiving Paper Size: Half Letter, A5, B5, A4, Letter,

Legal, B4, 11 x 17", A3, A3+

Speed Dial / Group Dial: Up to 200 numbers, 199

groups

Fax Features: PC Fax (Transmission/Receive), Automatic Redial, Address book, Broadcast Fax (Mono Only), Transmit Reservation, Polling Reception, Fax Preview, Memory reception, Fax to Email, Fax to Folder, Automatic 2-sided Fax

Paper Handling:

Number of Paper Trays: 3 (Front 2, Rear 1) Standard Paper Input Capacity: Cassette 1: 250

sheets for A4 Plain paper (80g/m2)

50 sheets for Premium Glossy Photo Paper

Cassette 2: 250 sheets for A4 Plain paper (80 g/m2) Rear Slot: 50 sheets for A4 Plain paper (80 g/m2), 20

sheets for Premium Glossy Photo Paper

Output Capacity: 125 sheets for A4 Plain paper (80 g/m2), 20 sheets for Premium Glossy Photo Paper

Maximum Paper Size:329 x 6000 mm

Paper Sizes: A3, Super B (13 x 19"), Indian Legal, Letter, A4, 16K (195 x 270mm), 8K (270 x 390mm), Executive (7.25 x 10.5"), B4, B5, A5, B6, A6, 8.5 x 13", 5 x 7", 4 x 6", 8 x 10", Legal (8.5 x 14"), 16:9 wide,

Envelopes: #10, DL, C6, C4

Paper Feed Method: Friction feed

Print Margin:3mm top, left, right, bottom via custom

settings in printer driver

Noise Level:

PC Printing/ Plain Paper Default: Sound Power (Black / Colour) 6.7 B(A) / 6.2 B(A), Sound Pressure (Black / Colour) 52 dB(A) / 47 dB(A)

		Consumables: Maintenance Box: C12C934591 Pigment Black Ink Bottle: 7,500 pages - 008 (C13T06G100 / C13T06G199 (Indonesia) Pigment Cyan Ink Bottle: 6000 pages (Composite Yield) - 008 (C13T06G200 / C13T06G299 (Indonesia) Pigment Magenta Ink Bottle: 6000 pages (Composite Yield) - 008 (C13T06G300 / C13T06G399 (Indonesia) Pigment Yellow Ink Bottle: 6000 pages (Composite Yield) - 008 (C13T06G400 / C13T06G499 (Indonesia) Interface: USB: USB 2.0 Network:Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Direct Network Protocol: TCP/IPv4, TCP/IPv6 Network Management Protocols: SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDNS, SLP, WSD, LLTD				
Re	quested by:	Approved by:				
Re	RA Su viewed by (fo CHA Inform	YMOND G. GARCIA DELIA	Original copy sign B. BILLEDO-PI ion Chief, AMCI	ERLADA		
		CONFORME:				
		o certify that the undersigned, as an authorized representativer irms and complies with all the requirements and deliverables		etor,		
	Name and Signature of Authorized Representative of the Contractor					
		PhilGEPS Registration Number				
		-				
		Tax Identification Number				
		Date				