



Construction Industry Authority of the Philippines

REQUEST FOR QUOTATION/PROPOSAL

CIAP-F-PrM-03
Rev. No.: 00

Procurement of Various ICT Equipment and ICT Supplies for Official Use of CIAP.

P.R. No./Date: 25-08115,25-08128,25-08127 | 8/28/2025,09/08/2025

RFQP No. / Date: 2025-09-103 | 11 September 2025

The Construction Industry Authority of the Philippines (CIAP) invites all eligible suppliers, contractors and consultants to quote the best offer for the described item/s in the attached Terms of Reference/Technical Specifications subject to the Terms and Conditions and within the Approved Budget for the Contract (ABC).

The following are the required document/s to be submitted as attachment/s to the quotation/proposal:

(Please submit the documents required to be submitted by the bidder pursuant to Annex "A" - Appendix A of Revised of The 2016 Revised IRR)

- 1 Mayor's/Business Permit
2 PhilGEPS Registration Number
3 BIR Certificate of Registration (BIR Form No. 2303)
4 Signed Terms of Reference or Technical Specifications, if applicable

This pro-forma quotation maybe submitted through registered or electronic mail to the CIAP Bids and Awards Committee Secretariat at address indicated below or email to bac\_ciap@construction.gov.ph/johnvincentpeduche@construction.gov.ph on or before 18 September 2025, 05:00 PM, together with any additional requirements indicated in the attached Terms of Reference / Technical Specifications, and subject to the following Terms and Conditions:

- 1. All entries shall be typed or written in a clear legible manner.
2. No alternate quotation/offer is allowed, suppliers who submitted more than one quotation shall be automatically disqualified.
3. All prices offered herein are valid, binding and effective for sixty (60) calendar days upon receipt of the bid. Alternative bids shall be rejected.
4. Price quotations to be denominated in Philippine Peso shall include all applicable government taxes subject to (BIR 2306) 5% R-VAT and (BIR 2307) 1% (PO) or 2% (JO) deductions.
5. CIAP-BAC Technical Working Group may require you to submit documents that will prove your legal, financial and technical capability to undertake this contract.
6. Salient provisions of the IRR of RA 9184: Section 68 - Liquidated Damages and Section 69 - Imposition of Administrative Penalties shall be observed.
7. CIAP reserves the right to reject any and all quotations, declare a failure, or not award the contract pursuant to Sec 41 of the same IRR.
8. In case of tie quotations, suppliers' presence is required during tie breaking through draw lots or toss coin.
9. In case supplier pro forma quotation is submitted, conditions will be governed by the submitted signed Terms of Reference/Technical Specifications .
10. Payment shall be made through check payment (Landbank).
11. For bidders with Landbank of the Philippines Bank Account Number, please write Account Number: \_\_\_\_\_.

Very truly yours,

(ORIGINAL Copy Signed)

John Vincent B. Peduche

Secretariat, Bids and Awards Committee

CONSTRUCTION INDUSTRY AUTHORITY OF THE PHILIPPINES

3rd Floor, NAPOLCOM Building, No. 371 Sen. Gil J. Puyat Avenue, Makati City

Telephone: 0917-855-7198 | e-mail: bac\_ciap@construction.gov.ph

Table with 5 columns: Item, QTY, ABC, Technical Specifications, and Brand/Model, Unit Price, Total Amount. It lists 17 items including HDMI cables, wireless headsets, RJ45 connectors, thermal paste, USB-C hubs, power cables, power adapters, Wi-Fi hotspots, screwdriver sets, wrench sets, pliers, drill drivers, and speaker phones. A total ABC of 257,700.00 is shown at the bottom.

(Please provide complete information below)

We undertake, if our Proposal is accepted, to supply/deliver the goods in accordance with the specifications and/or delivery schedule.

We agree to abide by this proposal for the price validity period specified in the terms and conditions and it shall remain binding upon us and may be accepted at any time before the expiration of that period.

Until a Purchase/Job Order or a Contract is prepared and executed, this Quotation/Proposal shall be binding upon us. We understand that CIAP is not bound to accept the lowest or any proposal that CIAP may receive.

Signature over Printed Name :

Designation/Position :

Name of Company :

Address :

Telephone / Fax :

E-mail Address :

Company Tax Identification Number :

### TECHNICAL SPECIFICATIONS

Procurement of Various ICT Equipment for AMFD				
Qty.	Unit	Description / Minimum Specification	Est. Cost / Unit	Amount
10	Pcs	<b>Wireless Headset with microphone</b>  <u>Specifications:</u> Bluetooth Wireless Adaptive Noise Cancelling Detachable Cable Built-in Microphone Charging Time (hours from empty): 2hrs Music playtime with BT off and ANC on: Up to 30 hrs Low battery alarm: overload continuous tone alarm 3-5 years battery life 2 years warranty	P 7,000.00	P 70,000.00
2	Pcs	<b>Paper Shredder – Automatic</b>  <u>Specifications:</u> <ul style="list-style-type: none"> <li>• Shredder Application: Autofeed</li> <li>• Shredder Series: ShredMATIC</li> <li>• Security Level: P-4</li> <li>• Cut Type: Cross Cut</li> <li>• Cut Size: 3/16 x 5/8 inch</li> <li>• Sheet Capacity: 11 gallons</li> <li>• Can Shred: Paper, Paper Clips, Staples, Credit Cards, CDs</li> <li>• Shred Speed: 12 ft/min</li> <li>• Feed Width: 8.75 inch</li> <li>• Noise Level: 60 Db</li> <li>• Recommended No. of Users: 1-5</li> <li>• Dimensions (LxWxH): 14x16x27.5 inch</li> <li>• Weight: 41lb</li> </ul>	P 53,000.00	P106,000.00
10	Pcs	<b>2TB Extreme Portable SSD</b>  <u>Specifications:</u> <ul style="list-style-type: none"> <li>• Capacity: 2TB</li> <li>• Interface: USB 3.2 Gen 2 (10Gb/s)</li> <li>• Connector: USB Type-C</li> <li>• Read Speed: Up to 1050MB/s</li> <li>• Write Speed: Up to 1000MB/s</li> <li>• Durability: IP55 water and dust resistance</li> <li>• Dimensions: 9.6mm x 52.55mm x 100.8mm</li> <li>• Weight: 52g</li> <li>• Encryption: 256-bit AES hardware encryption</li> <li>• Compatibility: Windows 10+, macOS 10.13+, and compatible with USB Type-C devices</li> <li>• Warranty: 5-year limited warranty</li> </ul>	P 11,000.00	P 110,000.00
<b>TOTAL</b>			<b>P 71,000.00</b>	<b>P 286,000.00</b>
<b>WARRANTY:</b>	At least 1 year or more			
<b>DELIVERY:</b>	15-30 Calendar Days upon Receipt of Notice of Award or Purchase Order			

Prepared by:

Approved by:

*W. Manangan*  
**WINNIE JOY G. MANANGAN**  
Property Custodian

*Rufino H. Tividad*  
**RUFINO H. TIVIDAD**  
Chief Administrative Officer

<b>CONFORME:</b>
Name and Signature of Authorized Representative of the Supplier
PhilGEPS Registration Number
Tax Identification Number
Date

### TECHNICAL SPECIFICATIONS

Procurement of Various ICT Equipment				
Qty.	Unit	Description / Minimum Specification	Est. Cost / Unit	Amount
1	Pc	<p><b>External Camera Flash</b></p> <p><u>Specifications:</u></p> <ul style="list-style-type: none"> <li>• <b>Flash Type:</b> External on-camera flash with radio wireless function</li> <li>• <b>Guide Number:</b> GN28 at ISO 100, 50mm</li> <li>• <b>Flash Coverage:</b> 50mm standard, 24mm with wide panel</li> <li>• <b>Flash Modes:</b> P-TTL, ADI, Manual, HSS, Slow Sync, Rear Sync, Multi</li> <li>• <b>Manual Power Range:</b> 1/1 to 1/256 (25 levels, 1/3 EV steps)</li> <li>• <b>Bounce Capability:</b> Tilt-only head from 0° to 120° in 6 steps</li> <li>• <b>Color Temperature:</b> Approx. 5500K</li> <li>• <b>Wireless System:</b> Built-in 2.4GHz radio commander/receiver</li> <li>• <b>Wireless Range:</b> Up to 35 meters (114 feet)</li> <li>• <b>Wireless Groups:</b> Supports up to 5 groups and 15 flash units</li> <li>• <b>Channels:</b> 14 selectable channels</li> <li>• <b>Continuous Flash:</b> Up to 40 flashes at 10 fps (1/32 power, Ni-MH)</li> <li>• <b>Recycle Time:</b> 0.1–6.4s (Alkaline), 0.1–4.1s (Ni-MH)</li> <li>• <b>Power Source:</b> 2 × AA batteries (Alkaline or Ni-MH)</li> <li>• <b>Flash Capacity:</b> ~110 flashes (Alkaline), ~130+ (Ni-MH)</li> <li>• <b>Face Detection Sync:</b> Adjusts flash output and white balance using camera data</li> <li>• <b>Mount Interface:</b> Sony Multi Interface Shoe</li> <li>• <b>Firmware Update:</b> Via Micro-USB port</li> <li>• <b>Construction:</b> Rugged design with metal shoe and weather sealing</li> <li>• <b>Dimensions:</b> 65.1 × 83.5 × 91.4 mm (W × H × D)</li> <li>• <b>Weight:</b> Approx. 219 g (excluding batteries)</li> <li>• <b>Included Accessories:</b> Flash stand, pouch, manual, Rechargeable Batteries with Charger compatible with External Flash.</li> </ul>	₱ 17,000.00	₱ 17,000.00
4	Pcs	<p><b>5G Wi-Fi 6 Mobile Hotspot Pocket WIFI</b></p> <p><u>Specifications:</u></p> <ul style="list-style-type: none"> <li>• <b>Network Support:</b> 5G NR (n1/3/20/28/41/77/78), LTE FDD (B1/B3/B5/B7/B8/B20/B28), LTE TDD (B34/B38/B39/B40/B41), WCDMA B1/B8</li> </ul>	₱ 13,000.00	₱ 52,000.00

		<ul style="list-style-type: none"> <li>• <b>Wi-Fi Standard:</b> IEEE 802.11n/g/b/ac/ax (Wi-Fi 6, AX900)</li> <li>• <b>Data Rates (Theoretical):</b> 2.4 GHz up to 286.8 Mbps; 5 GHz up to 600 Mbps</li> <li>• <b>User Capacity:</b> Supports up to 40 Wi-Fi clients (8 active + 32 standby)</li> <li>• <b>Antenna Design:</b> Built-in full-band 5G antenna with 360° reception and &gt;50 m coverage radius</li> <li>• <b>SIM Interface:</b> Nano SIM slot, supports 5G/4G LTE plug-and-play</li> <li>• <b>Display:</b> 2.01" color LCD touchscreen showing network type, signal, SMS, battery, Wi-Fi status, connected clients</li> <li>• <b>Device Controls:</b> WPS button, Power button, Reset (pin-hole)</li> <li>• <b>Security:</b> WPA/WPA2 encryption protocols supported</li> <li>• <b>Management Interface:</b> Touchscreen UI and Web GUI, with Firmware-Over-The-Air (FOTA) support</li> <li>• <b>Battery:</b> Rechargeable 6000 mAh lithium-ion battery; supports reverse charging as power bank</li> <li>• <b>Power Input:</b> USB-C (5 V / 2 A) fast charging</li> <li>• <b>Operating Conditions:</b> -10 °C to +40 °C (32 °F to 131 °F); storage -40 °C to +70 °C (-22 °F to 158 °F); humidity 10-95 % non-condensing</li> <li>• <b>Physical Dimensions:</b> 138 × 71 × 14.2 mm; <b>Weight:</b> approx. 185 g</li> <li>• <b>Certifications:</b> CE certified</li> </ul>		
1	Pc	<p><b>5-in-1 USB-C Hub with HDMI/Ethernet and Power Delivery</b></p> <p><u>Specifications:</u></p> <ul style="list-style-type: none"> <li>• <b>Model/Type:</b> 5-in-1 USB Type-C Hub (HDMI + RJ45 + Thunderbolt 3 PD + USB 3.0).</li> <li>• <b>HDMI Output:</b> Supports 4K UHD (3840×2160) at 60 Hz.</li> <li>• <b>Ethernet Port:</b> RJ45 Gigabit LAN port (10/100/1000 Mbps).</li> <li>• <b>USB Ports:</b> Two USB 3.0 Type-A ports with data transfer up to 5 Gbps.</li> <li>• <b>Power Delivery:</b> USB-C Thunderbolt 3 port supports PD charging passthrough.</li> <li>• <b>Host Interface:</b> USB Type-C male connector, Thunderbolt 3 compatible.</li> <li>• <b>Plug &amp; Play:</b> Driver-free operation for Windows, macOS, Chrome OS.</li> <li>• <b>Casing:</b> Aluminum alloy body for durability and heat dissipation.</li> <li>• <b>LED Indicators:</b> Status LEDs for network activity and speed.</li> <li>• <b>Standards Compliance:</b> HDMI 1.4 with HDCP 2.2, IEEE 802.3/3u/3ab, USB-IF standards.</li> <li>• <b>Power Consumption:</b> Approx. 131 mA at 5V DC (bus-powered).</li> <li>• <b>Operating Temperature:</b> 0 °C to 70 °C; Storage: -25 °C to 85 °C.</li> <li>• <b>Dimensions:</b> Approximately 120 × 35 × 12 mm.</li> <li>• <b>Weight:</b> Approx. 42-49 grams.</li> </ul>	₱ 1,500.00	₱ 1,500.00

12	Pc	<b>IEC C13 - C14 Male to Female M/F power cable 2 Meters</b>	₱ 1,000.00	₱ 12,000.00
20	Pc	<b>High Quality Heavy duty Universal Travel Power Adapter</b>	₱ 100.00	₱ 2,000.00
1	Pc	<b>120-in-1 Precision Electric Screwdriver Set (w/ Cloth Bag)</b>  <u>Specifications:</u> <ul style="list-style-type: none"> <li>• <b>Model/Type:</b> 120-in-1 Precision Electric Screwdriver Set with cloth storage bag (NO-882039).</li> <li>• <b>Bit Set:</b> 100 precision S2 steel bit tips plus 20 additional tool accessories (total 120 pieces).</li> <li>• <b>Electric Torque:</b> 0.25 to 0.35 N·m in electric mode.</li> <li>• <b>Manual Torque:</b> Up to 3 N·m with manual override.</li> <li>• <b>No-load Speed:</b> 150 to 200 rpm.</li> <li>• <b>Battery Type:</b> Rechargeable lithium battery (330–350 mAh capacity).</li> <li>• <b>Charging Port:</b> USB-C fast charging, fully charges in approx. 50 minutes.</li> <li>• <b>Usage Time:</b> Up to 3 hours continuous use; 180 days standby.</li> <li>• <b>Lighting:</b> Built-in LED work light for improved visibility.</li> <li>• <b>Operation Modes:</b> Dual-mode (electric and manual).</li> <li>• <b>Accessories Included:</b> Extension rod, magnetizer, magnetic pad, USB-C cable, and cloth bag.</li> <li>• <b>Screwdriver Weight:</b> Approximately 54 grams.</li> <li>• <b>Storage Case Dimensions:</b> Approximately 270 × 190 × 50 mm.</li> <li>• <b>Total Weight (with case):</b> Approximately 1 kg.</li> </ul>	₱ 2,500.00	₱ 2,500.00
1	Pc	<b>Cordless Brushless Drill Driver 20V Kit Set with 109pcs Combination Drill Bit set</b>  <u>Specifications:</u> <ul style="list-style-type: none"> <li>• <b>Model/Type:</b> 20V MAX cordless brushless drill driver kit with 109-piece drill/driver bit set.</li> <li>• <b>Battery Voltage:</b> 20V MAX XR lithium-ion battery with 2.0 Ah capacity.</li> <li>• <b>No-Load Speed:</b> Dual-speed range: 0–500 rpm and 0–1,750 rpm.</li> <li>• <b>Max Torque:</b> Up to 65 Nm (hard) and 24 Nm (soft).</li> <li>• <b>Chuck Size:</b> 13 mm single-sleeve keyless chuck with spindle lock.</li> <li>• <b>Drilling Capacity:</b> Up to 30 mm in wood and 13 mm in metal.</li> <li>• <b>Lighting:</b> Built-in LED work light with illumination delay.</li> </ul>	₱ 12,000.00	₱ 12,000.00

		<ul style="list-style-type: none"> <li>• <b>Bit Set:</b> Includes 109 pieces of combination drill and driver bits.</li> <li>• <b>Tool Weight:</b> Lightweight and compact ergonomic design.</li> <li>• <b>Motor Type:</b> Brushless motor for enhanced efficiency and runtime.</li> <li>• <b>Storage:</b> Comes with a durable hard case and storage/carry bag.</li> <li>• <b>Warranty:</b> Backed by a 3-year limited warranty.</li> <li>• <b>Inclusions:</b> 6 Gang Power Extension Cord with Individual Switches (Built in Surge/Overload Protection, with Reset Button)</li> </ul>		
1	Pc	<b>8 Pcs T-Handle Hex Wrench Set</b>  <u>Specifications:</u> <ul style="list-style-type: none"> <li>• <b>Type:</b> 8-piece T-handle hex wrench set</li> <li>• <b>Sizes:</b> 2×75 mm, 2.5×75 mm, 3×100 mm, 4×100 mm, 5×150 mm, 6×150 mm, 8×200 mm, 10×200 mm</li> <li>• <b>Material:</b> Chrome-vanadium (Cr-V) steel</li> <li>• <b>Surface Treatment:</b> Heat-treated and chrome-plated for durability and corrosion resistance</li> <li>• <b>Handle Design:</b> Ergonomic T-handle with sliding sleeve for torque or speed operation</li> <li>• <b>Tip Type:</b> Precision-machined hex tips for reduced rounding</li> <li>• <b>Finish:</b> Polished chrome finish for easy cleaning and corrosion protection</li> <li>• <b>Packaging:</b> Supplied in a retail blister pack or display card</li> </ul>	₱ 1,000.00	₱ 1,000.00
1	Pc	<b>4 Pcs Pliers Set</b>  <u>Specifications:</u> <ul style="list-style-type: none"> <li>• <b>Set Contents:</b> Includes 8" combination pliers, 7" diagonal cutting pliers, 8" long nose pliers, and 10" water pump pliers.</li> <li>• <b>Material:</b> Made from heat-treated Chromium-Vanadium (Cr-V) steel alloy.</li> <li>• <b>Cutting Edge:</b> Precision-machined edges with secondary heat treatment for durability.</li> <li>• <b>Handle:</b> Ergonomic, non-slip TPR (thermoplastic rubber) twin-color handles.</li> <li>• <b>Grip Feature:</b> Serrated jaws for enhanced grip and holding strength.</li> <li>• <b>Finish:</b> Polished surface with anti-rust oil coating</li> <li>• <b>Packaging:</b> Comes in a durable, stackable plastic case with transparent lid for organized storage.</li> </ul>	₱ 2,000.00	₱ 2,000.00
3	Pcs	<b>High Speed HDMI 2.0 CABLE 10 Meters 4K UHD 60Hz, 18Gbps Data Transmission</b>	₱ 1,900.00	₱ 5,700.00
2	Pcs	<b>RJ45 CAT6 Connector Classic Pack (100pcs)</b>	₱ 500.00	₱ 1,000.00
2	Pcs	<b>RJ45 Rubber Boots Pack (100pcs)</b>	₱ 500.00	₱ 1,000.00
1	Pc	<b>High-performance thermal paste</b>	₱ 1,000.00	₱ 1,000.00
WARRANTY		Preferred with 1 year warranty or more. Accidental damage service highly recommended		
DELIVERY		Within 30-45 days upon receiving Notice of Award or Purchase Order		

--	--

Prepared By:

Approved By:

  
**MIKE KENNETH C. CABUSLAY**  
Computer Maintenance Technologist I,  
PPCMD

  
**ATTY. NATALIE P. LABANG**  
Division Chief, PPCMD

Reviewed by (for ICT Task Force):

  
**CHARDE A. BARINQUE**  
Information Technology Officer I  
ICT Task Force Member, PPCMD

**CONFORME:**

*This is to certify that the undersigned, as an authorized representative of the Contractor, confirms and complies with all the requirements and deliverables needed for the \_\_\_\_\_*

\_\_\_\_\_  
Name and Signature of Authorized Representative of the Contractor

\_\_\_\_\_  
PhilGEPS Registration Number

\_\_\_\_\_  
Tax Identification Number

\_\_\_\_\_  
Date

### TECHNICAL SPECIFICATIONS

Procurement of Various ICT Equipment for AMFD				
Qty.	Unit	Description / Minimum Specification	Est. Cost / Unit	Amount
2	Pc	<b>High Volume Document Scanner</b>  <b>Specifications:</b> <b>Scanner Type:</b> Automatic Document Feeder (ADF) <b>Scanning Speed:</b> Greyscale - At least 120 pages per minute / 240 image per minute <b>Colour:</b> At least 120 pages per minute / 240 image per minute <b>Scanning Element:</b> Color Image Sensor (CIS) <b>Light source:</b> LED <b>Scanning Side:</b> Simplex / Duplex <b>Scanning Modes:</b> Black and White, Error Diffusion, Advanced Text Enhancement, Advanced Text Enhancement II, Active Threshold, 256-level Greyscale, 24-bit Colour <b>Scanning Features:</b> Double-Feed Detection, Folio Scanning, 2D/Barcode <b>Output File Formats:</b> JPEG, PNG, PDF, Searchable PDF <b>Paper Size for ADF:</b> Supports: Letter, A4, Legal <b>Capacity for ADF:</b> 200 pages <b>Connectivity:</b> USB 3.1, Network LAN <b>Power Requirement:</b> AC100-240V (50 / 60 Hz)	₱ 390,000.00	₱ 780,000.00
1	pc	<b>Printer</b> <b>Specifications:</b> <ul style="list-style-type: none"> <li>• <u>Print, scan, copy with ADF</u></li> <li>• <u>Print Speed: Draft, A4 (Black/Color: Up to 37.0ppm – 23.0ppm)</u></li> <li>• <u>Print Speeds up to 17ipm for black and 9.5ipm for color</u></li> <li>• <u>Auto Duplex Printing</u></li> <li>• <u>Wi-Fi and Wi-Fi Direct</u></li> <li>• <u>2yrs warranty or 50,000 pages, whichever comes</u></li> </ul>	₱ 20,000.00	₱ 20,000.00
2	Pcs	<b>Portable Printer</b>  <b>Specifications:</b> <ul style="list-style-type: none"> <li>• With at least 14ppm print speed</li> <li>• Can print paper size 8.27x14"</li> <li>• USB, WiFi and WiFi Direct Connection</li> <li>• With Built in Battery</li> <li>• Weight 1.6kg</li> <li>• With 14" Colored LCD Control Pane</li> </ul>	₱ 20,000.00	₱ 40,000.00
10	Pcs	<b>Uninterruptible Power Supply (UPS)</b> <b>Specifications:</b> <ul style="list-style-type: none"> <li>• <b>Main Input Voltage:</b> 230 V</li> <li>• <b>Main Output Voltage:</b> 230 V</li> <li>• <b>Rated power in W:</b> 600 W</li> <li>• <b>rated power in VA:</b> 1000 VA</li> <li>• <b>Product or component type:</b> Uninterruptible power supply (UPS)</li> <li>• <b>Input Connection Type:</b> NEMA 5-15P</li> <li>• <b>output connection type:</b> 4 universal receptacle Cable length: 1.20 m</li> <li>• <b>Number of cables:</b> 1</li> <li>• <b>Battery type:</b> Lead-acid battery</li> <li>• <b>Provided equipment:</b> User manual</li> <li>• <b>Range of product:</b> Easy UPS On-Line</li> <li>• <b>Number of battery filled slots:</b> 0</li> <li>• <b>Number of battery free slots:</b> 0</li> <li>• <b>Battery recharge time:</b> 8 h</li> </ul>	₱ 7,000.00	₱ 70,000.00

		<ul style="list-style-type: none"> <li>• <b>Battery voltage:</b> 12 V</li> <li>• <b>Battery Capacity:</b> 9.0Ah</li> <li>• <b>Battery life:</b> 3...5 year(s)</li> <li>• <b>Replacement battery:</b> RBC17</li> <li>• <b>Extended Runtime:</b> 0</li> <li>• <b>Number of power module filled slots:</b> 0</li> <li>• <b>Number of power module free slots:</b> 0</li> <li>• <b>Redundant:</b> No</li> <li>• <b>UPS size:</b> WS</li> <li>• <b>Colour:</b> Black</li> <li>• <b>Height:</b> 9.25 cm</li> <li>• <b>Width:</b> 16.05 cm</li> <li>• <b>Depth:</b> 30.5 cm</li> <li>• <b>Net weight:</b> 5.7 kg</li> <li>• <b>Mounting preference:</b> No Preference</li> <li>• <b>Mounting mode:</b> Not Rack-mounted</li> <li>• <b>Two post mountable:</b> 0</li> <li>• <b>USB compatible:</b> No</li> <li>• <b>Network frequency:</b> 50/60 Hz +/-5 Hz auto-sensing</li> <li>• <b>Input voltage limits:</b> 170...280 V</li> <li>• <b>Maximum configurable power in W:</b> 600 W</li> <li>• <b>Output frequency:</b> 50/60 Hz +/- 1 Hz unsynchronised</li> <li>• <b>UPS type:</b> Line interactive</li> <li>• <b>Wave type:</b> Stepped approximation to a sine wave</li> <li>• <b>Graph display:</b> 1</li> <li>• <b>Maximum configurable power in VA:</b> 1000 VA</li> <li>• <b>Transfer time:</b> 6 ms typical: 10 ms maximum</li> <li>• <b>Product certifications:</b> CE</li> <li>• <b>Standards:</b> EN/IEC 62040-1:2018/A11:2021 EN/IEC 62040-2:2006/AC:2006 EN/IEC 62040-2:2018</li> <li>• <b>Ambient air temperature for operation:</b> 0...40 °C</li> <li>• <b>Relative humidity:</b> 0...90%</li> <li>• <b>Operating altitude:</b> 0...6667 t</li> <li>• <b>Ambient air temperature for storage:</b> -20...50 °C</li> <li>• <b>Storage Relative Humidity:</b> 0...90%</li> <li>• <b>Storage altitude:</b> 0.000000000...15240.000000000 m</li> <li>• <b>Acoustic level:</b> 40 Dba</li> <li>• <b>IP degree of protection:</b> IP20</li> <li>• <b>Alarm:</b> Alarm when on battery: distinctive low battery alarm: overload continuous tone alarm</li> <li>• <b>Surge energy rate:</b> 156</li> <li>• <b>Unit Type of Package 1:</b> PCE</li> <li>• <b>Number of Units in Package 1:</b> 1</li> <li>• <b>Package 1 Height:</b> 23.7 cm</li> <li>• <b>Package 1 Width:</b> 37.3 cm</li> <li>• <b>Package 1 Length:</b> 14.3 cm</li> <li>• <b>Package 1 Weight:</b> 6 kg <b>SCC14:</b> 10731304338250</li> </ul> <p><b>Warranty:</b> 2 Years warranty or replace</p>		
1	Pc	<p><b>20M HDMI Cable</b></p> <ul style="list-style-type: none"> <li>• <b>Connector A:</b> HDMI</li> <li>• <b>20Meter Cable Length</b></li> <li>• <b>Application:</b> Projector, Computer, Amplifier, Multimedia, TV BOX, Monitor, Television</li> <li>• <b>Gender:</b> Male-Male</li> <li>• <b>Shielding:</b> Braid</li> <li>• <b>Type:</b> HDMI Cables</li> <li>• <b>Outer Diameter:</b> OD: 7.3mm</li> <li>• <b>Feature:</b> HDMI 2.0</li> <li>• <b>Connector B:</b> HDMI</li> <li>• <b>Version:</b> HDMI 1.4</li> <li>• <b>Type:</b> Audio video cable</li> <li>• <b>Connector:</b> HDMI connector</li> </ul>	P 3,000.00	P 3,000.00

6	Pcs	<b>1TB Extreme Portable SSD</b> <u>Specification:</u> <ul style="list-style-type: none"> <li>• Capacity: 1TB.</li> <li>• Interface: USB 3.2 Gen 2 (10Gb/s).</li> <li>• Connector: USB-C.</li> <li>• Read Speed: Up to 1050MB/s.</li> <li>• Write Speed: Up to 1000MB/s.</li> <li>• Durability: IP65-rated for water and dust resistance, drop protection, according to Western Digital.</li> <li>• Encryption: 256-bit AES hardware encryption.</li> <li>• Dimensions: 9.6mm x 52.55mm x 100.8mm.</li> <li>• Weight: 52g.</li> <li>• Operating Temperature: 0°C to 45°C.</li> <li>• Non-Operating Temperature: -20°C to 85°C.</li> <li>• Compatibility: Windows 10+, macOS 10.13+, and compatible with a range of USB Type-C devices.</li> </ul> In the Box: Extreme Portable SSD, USB-C to USB-C cable, USB-C to SB-A adaptor.	₱ 7,000.00	₱ 42,000.00
1	Pc	<b>Speaker Phone</b> <u>Specifications:</u> VoiceRadar 3.0 6 Mics for Superior Voice Pick up AI Noise Cancelling 24-Hour Talk Time USB-C Connectivity Charge your Devices Lightweight and Compact 360 degree Voice Coverage with 5m Range	₱ 10,000.00	₱ 10,000.00
2	set	<b>Dual-Way Window Intercom</b> <u>Specifications:</u> <ul style="list-style-type: none"> <li>• Color: Black</li> <li>• Power Source: Power Adapter</li> <li>• Item Dimensions LxWxH: 5.51 x 3.94 x 5.31 inches</li> <li>• Connectivity Technology: Wireless</li> <li>• Installation Type: Plug In</li> <li>• Alert Type: Motion</li> <li>• Item Weight: 200 Grams</li> <li>• Included Components: Loudspeaker box</li> <li>• Item Weight: 7.1 ounces</li> <li>• Product Dimensions: 5.51 x 3.94 x 5.31 inches</li> <li>• Item model number: W107-1</li> <li>• Style: 1PC</li> </ul>	₱ 5,500.00	₱ 11,000.00
<b>TOTAL</b>			₱ 462,500.00	₱ 976,000.00
<b>WARRANTY:</b>	At least 1 year or more			
<b>DELIVERY:</b>	15-30 Calendar Days upon Receipt of Notice of Award or Purchase Order			

Prepared by:

Approved by:

*Winnie Joy G. Manangan*  
**WINNIE JOY G. MANANGAN**  
 Property Custodian

*Rufino H. Tividad*  
**RUFINO H. TIVIDAD**  
 Chief Administrative Officer

**CONFORME:**

**Name and Signature of Authorized Representative of the Supplier**

**PhilGEPS Registration Number**

**Tax Identification Number**

**Date**